

ndex

Quick Ship Policies	3
BALLERUP & BALLERUP MICRO	4
LP CIRCLE RECESSED	5
LP CIRCLE SURFACE	6
MUNKEGAARD CEILING	7
PH5 CLASSIC	8
PH ARTICHOKE	9
WOHLERT	10
AJ EKLIPTA	10
SILVERBACK WALL/CEILING	13
KIPP	14
POLES RSA 4.5"	14
ALBERTSLUND	15

The Louis Poulsen Quickship program is a collection of some of our most popular products that provide the specifier and representative product options available within a short time frame. Products listed, ship within 5 business days.

While the Quickship program at Louis Poulsen is focused on providing options, you will also find many other products that have a short lead-time in our full offering.



Look for the highlighted products in our Price Book!



How to:

The product configuration code in this document represents the different products and options available for this Quickship program. The max order size refers to maximum quantity of products that qualify for the "Quickship leadtime" of 5 business days.

As this guide provides ordering codes only, we invite you to review the individual technical specification sheets for the product at www.louispoulsen.com for complete, and detailed information about each product.

Policies

E-mail all Quickship orders to fdorderentry@louispoulsen. com. Any order sent via fax or directly to a person's email address, cannot be guaranteed a "Quickship lead-time." configuration on each qualifying line item of your PO. All qualifying Quickship line items will be processed as such unless otherwise instructed.

If an order is received with both standard and Quickship items, the Quickship items will be scheduled to ship separately, unless otherwise instructed. Please indicate "SHIP COMPLETE" if you prefer all items ordered to ship with the longest lead time.

The estimated ship dates are determined per the following: If a complete order is received by 11:00 AM EST on Monday, the delivery will be within 5 days from the PO date. Orders received later than 11:00 AM EST will be dated the same day, however the 5 days "Quickship leadtime" will start from the following business day.

Order Checklist


- ✓ "QS" indicated in front of every product order line
- Complete and correct catalog number (product configurator)
- Complete PO with no missing information
 - Customer account
 - Ship-to address
 - Specifier information for orders over \$5,000
- Email Quickship orders to: fdorderentry@louispoulsen.com

Reminders

- All ship dates are estimated and 5 day lead times don't include weekends or holidays.
- Consult your customer service associates for options and quantities not shows in this guide.
- Change orders of any kind may affect the lead time.

Please indicate "QS" as the first two letters of the product

BALLERUP



LP CIRCLE RECESSED

	Prod. code	Dimmensions	Light source	Voltage	Finish	Feature	Max Order Size
S	LP-CIRC-REC	10.3″	17W LED/3000K 17W LED/3500K	120-277V	White	0-10V DIM	25
		1					_
				1			
	Prod. code	Dimmensions	Light source	Voltage	Finish	Feature	Max Order Size
8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	LP-CIRC-REC	17.7″	30W LED/3000K 30W LED/3500K	120-277V	White	0-10V DIM	25
		1	I				

LP CIRCLE SURFACE

Proc	d. code	Dimmensions	Light source	Voltage	Finish	Features	Max Order Size	
	CIRC-SURF	17.7″	30W LED/3000K 30W LED/3500K	120-277V	White	0-10V DIM	15	

MUNKEGAARD



	Prod. code	Dimensions	Light source	Volt.	Finish	Diffuser	Feature	Max Order size
0	MUNK	10.4″	15WLED/3000K	120-277V	SATIN CHR PLA CHR	OPAL	0-10V DIM	15
							'	
	Prod. code	Dimensions	Light source	Volt.	Finish	Diffuser	Feature	Max Order size
$\bigcirc \bigcirc$	MUNK	18.1″	31WLED/3000K 31WLED/4000K	120-277V	SATIN CHR PLA CHR	OPAL	0-10V DIM	15
		18.1″	3/26W/CF G24Xq-3	3 120-277V	SATIN CHR PLA CHR	OPAL		15

PH5 CLASSIC



Prod. code	Light source	Volt.	Shade	Max Order size	
PH5	15W LED/A-19/Medium 1/200W/A-23/IF medium	120V	WHITE CLASSIC MAT		

PH ARTICHOKE




	Prod. code	Dimension	Light source	Volt.	Finish	Max Order size	
-	PHA	28.3″	97W LED/3000K	120V	WHT	3	
F	PHA	33.1″					
		I				I	

WOHLERT

rod. code	Dimension	Light source	Volt.	Finish	Max	
					Order size	
/OP	11.8″ 13.7″ 15.7″	22W LED/A21/Medium 1/200W/A23/IF/ Mediur	n 120V	GLASS	15	
J EKLIPT	A					
rod. code	Dimension	Light source	Volt.	Finish Mc	ounting	Max Order size
	8.7″ 13.7″ 17.7″	10W LED/3000K 12W LED/3000K 28W LED/3000K	120V	WHT WA	ALL AND SURFACE	5 15 15
	DP J EKLIPT od. code	DP 11.8" 13.7" 15.7" J EKLIPTA od. code Dimension E 8.7" 13.7"	DP 11.8" 22W LED/A21/Medium 13.7" 1/200W/A23/IF/ Mediur 15.7" D EKLIPTA Dd. code Dimension Light source E 8.7" 10W LED/3000K 13.7" 12W LED/3000K	DP 11.8" 22W LED/A21/Medium 120V 13.7" 1/200W/A23/IF/ Medium 120V J EKLIPTA bd. code Dimension Light source Volt. E 8.7" 10W LED/3000K 120V	DP 11.8" 13.7" 15.7" 22W LED/A21/Medium 1/200W/A23/IF/ Medium 120V GLASS J EKLIPTA Dimension Light source Volt. Finish Mc E 8.7" 13.7" 10W LED/3000K 120V WHT W/	DP 11.8" 13.7" 15.7" 22W LED/A21/Medium 1/200W/A23/IF/ Medium 120V GLASS 15 J EKLIPTA Dd. code Dimension Light source Volt. Finish Mounting E 8.7" 13.7" 10W LED/3000K 120V WHT WALL AND SURFACE





SILVERBACK WALL/CEILING

	Prod. code	Light source	Volt.	Finish	Feature	Max Order size	
l	SILVERBACK-CW	38W LED/3000K	120-277V	OPAL	0-10V DIM	25	
i							

KIPP



	Prod. code	Light source		Volt.	Finish	Trans.	Max Order size	
Y	KIP-PT	104W LED/4000K		120-277V	NAT PAINT ALU	T-RSA-4.5"	10	
	POLES R	SA 4.5"						
	Product code	Dimension	Finish		Max Order size			
Τ	RSA-4.5″	12′	NAT P/	AINT ALU	10			

ALBERTSLUND



Prod. code	Light source	Volt.	Finish	Trans.	Max Order size	
ALB-MIN	1/100W/ED-17	120/277V	GRAPHITE GREY	T-RSA-4.5″	10	
POLES F	RSA 4.5"					
Product cod	e Dimension	Finish	Max Order size			
RSA-4.5″	12'	GRAPHITE GREY	10			

Louis Poulsen USA, Inc. 3260 Meridian Parkway Fort Lauderdale, Florida 33331. PH: 954-439-2525