

# ndex

Quick Ship Policies	3
BALLERUP & BALLERUP MICRO	4
LP CIRCLE RECESSED	5
LP CIRCLE SURFACE	6
MUNKEGAARD CEILING	7
PH5 CLASSIC	8
PH ARTICHOKE	9
WOHLERT	10
AJ EKLIPTA	10
SILVERBACK WALL/CEILING	13
KIPP	14
POLES RSA 4.5"	
ALBERTSLUND	15

The Louis Poulsen Quickship program is a collection of some of our most popular products that provide the specifier and representative product options available within a short time frame. Products listed, ship within 5 business days.

While the Quickship program at Louis Poulsen is focused on providing options, you will also find many other products that have a short lead-time in our full offering.





#### How to:

The product configuration code in this document represents the different products and options available for this Quickship program. The max order size refers to maximum quantity of products that qualify for the "Quickship lead-time" of 5 business days.

As this guide provides ordering codes only, we invite you to review the individual technical specification sheets for the product at www.louispoulsen.com for complete, and detailed information about each product.

#### **Policies**

E-mail all Quickship orders to fdorderentry@louispoulsen. com. Any order sent via fax or directly to a person's email address, cannot be guaranteed a "Quickship lead-time."

Please indicate "QS" as the first two letters of the product

configuration on each qualifying line item of your PO. All qualifying Quickship line items will be processed as such unless otherwise instructed.

If an order is received with both standard and Quickship items, the Quickship items will be scheduled to ship separately, unless otherwise instructed. Please indicate "SHIP COMPLETE" if you prefer all items ordered to ship with the longest lead time.

The estimated ship dates are determined per the following: If a complete order is received by 11:00 AM EST on Monday, the delivery will be within 5 days from the PO date. Orders received later than 11:00 AM EST will be dated the same day, however the 5 days "Quickship leadtime" will start from the following business day.

#### Order Checklist

- ✓ "QS" indicated in front of every product order line
- ✓ Complete and correct catalog number (product configurator)
- ✓ Complete PO with no missing information
  - Customer account
  - Ship-to address
  - Specifier information for orders over \$5,000
- Email Quickship orders to: fdorderentry@louispoulsen.com

#### Reminders

- All ship dates are estimated and 5 day lead times don't include weekends or holidays.
- Consult your customer service associates for options and quantities not shows in this guide.
- Change orders of any kind may affect the lead time.

#### BALLERUP




Prod. code	Light source	Volt.	Finish	DIM	Max Order size
BAL	17W LED/3500K/1500lm	120V 277V	WHT	0 -10V	25

#### **BALLERUP MICRO**



Prod. code	Light source	Volt.	Finish	Max Order size
BAL-MIC	16W LED/3000K	120-277V	WHT	25

#### LP CIRCLE RECESSED



Prod. code	Dimmensions	Light source	Voltage	Finish	Feature	Max Order Size
LP-CIRC-REC	10.3"	17W LED/3000K 17W LED/3500K	120-277V	White	0-10V DIM	25



Prod. code	Dimmensions	Light source	Voltage	Finish	Feature	Max
· · · 						Order Size
LP-CIRC-REC	17.7"	30W LED/3000K 30W LED/3500K	120-277V	White	0-10V DIM	25

#### LP CIRCLE SURFACE

	Prod. code	Dimmensions	Light source	Voltage	Finish	Features	Max Order Size
.:	LP-CIRC-SURF	17.7"	30W LED/3000K 30W LED/3500K	120-277V	White	0-10V DIM	15

#### MUNKEGAARD



Prod. co	de Dimensions	Light source	Volt.	Finish	Diffuser	Feature	Max Order size
MUNK	10.4"	15WLED/3000K	120-277V	SATIN CHR PLA CHR	OPAL	0-10V DIM	15



Prod. code	Dimensions	Light source	Volt.	Finish	Diffuser	Feature	Max
					-		Order size
MUNK	18.1"	31WLED/3000K 31WLED/4000K	120-277V	SATIN CHR PLA CHR	OPAL	0-10V DIM	15
	18.1"	3/26W/CF G24Xq-3	120-277V	SATIN CHR PLA CHR	OPAL		15

#### PH5 CLASSIC



Prod. code	Light source	Volt.	Shade	Max Order size
PH5	15W LED/A-19/Medium 1/200W/A-23/IF medium	120V	WHITE CLASSIC MAT	15



#### PH ARTICHOKE



Prod. code	Dimension	Light source	Volt.	Finish	Max Order size
PHA	28.3"	97W LED/3000K	120V	WHT	3
PHA	33.1"				

#### WOHLERT



Prod. code	Dimension	Light source	Volt.	Finish	Max Order size
WOP	11.8" 13.7"	22W LED/A21/Medium 1/200W/A23/IF/ Medium	120V	GLASS	15
	15.7"				


#### AJ EKLIPTA



Prod. code	Dimension	Light source	Volt.	Finish	Mounting	Max Order size
AJE	8.7" 13.7" 17.7"	10W LED/3000K 12W LED/3000K 28W LED/3000K	120V	WHT	WALL AND SURFACE	5 15 15







#### SILVERBACK WALL/CEILING



Prod. code	Light source	Volt.	Finish	Feature	Max Order size
SILVERBACK-CW	38W LED/3000K	120-277V	OPAL	0-10V DIM	25

#### **KIPP**



Prod. code	Light source	Volt.	Finish	Trans.	Max Order size
KIP-PT	104W LED/4000K	120-277V	NAT PAINT ALU	T-RSA-4.5"	10

#### POLES RSA 4.5"



Product code	Dimension	Finish	Max
			Order size
RSA-4.5"	12′	NAT PAINT ALU	10

#### ALBERTSLUND



Prod. code	Light source	Volt.	Finish	Trans.	Max Order size
ALB-MIN	1/100W/ED-17	120/277V	GRAPHITE GREY	T-RSA-4.5"	10

#### POLES RSA 4.5"



Product code	Dimension	Finish	Max Order size
RSA-4.5"	12′	GRAPHITE GREY	10